
	<b>Product Information</b> <b>NIS125-100-400/30</b>	Manufacturer	CNP
		Address	Yuhang District, Hangzhou, Zhejiang,
Project Name		Contact	86-571-88637351
		Date	2022/03/06
Item NO		Client Name	DPA
		Client Addr.	
		Contacts	Alireza
		Contact	

Part NO.	1100054616
----------	------------

Product Picture	Note
	<p>Non-prime single stage horizontal end suction centrifugal pump, axial inlet and radial outlet, back pull out design, easy maintenance without removing pumpbody and pipe system.</p>

### technology

Pump rotator speed 1480

### Material

Impeller HT200  
Pump body QT500-7  
Rubber code P  
Material Code H

### Installation

Maximum Operation Pressure 16Bar  
Maximum Inlet Pressure 6Bar

### Medium

Medium Temperature -15~110

### Structure dimension

Inlet & outlet size types DN  
Inlet Bore 125  
Outlet Diameter 100  
Rotation Direction Anti-clockwise rotation viewing from inlet

### Motor

Number of Motor Phase Three Phase  
Protection Class IP55  
Insulation Class F  
Motor Power 30  
Power Frequency 50HZ  
Rated Voltage (V) 380V  
Rated Current (A) 58.1  
Energy Efficiency Level IE3

### Seal

Mechanical Seal NISO-53/BSE4

### Others

Weight (kg) 444




# Performance Curve NIS125-100-400/30

Manufacturer	CNP
Address	Yuhang District, Hangzhou, Zhejiang,
Contact	86-571-88637351
Date	2022/03/06
Client Name	DPA
Client Addr.	
Contacts	Alireza
Contact	

Project Name

Item NO

The hydraulic performance curve have been tested with Clean Water at 20°C, density 1000kg/m<sup>3</sup>, and at 1bar atmospheric pressure. ISO99062012 Grade 3B





## Pump Technical Parameters

### NIS125-100-400/30


Manufacturer	CNP
Address	Yuhang District, Hangzhou, Zhejiang,
Contact	86-571-88637351
Date	2022/03/06
Client Name	DPA
Client Addr.	
Contacts	Alireza
Contact	


#### Rated parameters

Pump model	NIS125-100-400/30
Part NO.	1100054616
Rated flow (m <sup>3</sup> /h)	100
Rated head (m)	50
Rated efficiency (%)	64
Power (kW)	21.29
NPSHr (m)	3
Speed (rpm)	1480
Max impeller diameter (mm)	371

#### Medium

Pumped medium	Clean Water
Working temperature (°C)	20
Medium density (kg/m <sup>3</sup> )	1000
Viscosity (mm <sup>2</sup> /s)	1



	<b>Structure picture</b> <b>NIS125-100-400/30</b>	Manufacturer	CNP
		Address	Yuhang District, Hangzhou, Zhejiang,
Project Name		Contact	86-571-88637351
		Date	2022/03/06
Item NO		Client Name	DPA
		Client Addr.	
		Contacts	Alireza
		Contact	





# Dimension Drawing NIS125-100-400/30

Manufacturer	CNP
Address	Yuhang District, Hangzhou, Zhejiang,
Contact	86-571-88637351
Date	2022/03/06
Client Name	DPA
Client Addr.	
Contacts	Alireza
Contact	

Project Name

Item NO

NIS(F) 125-100-400/30

