
CNP	Product Information Manufacturer CNP	CNP	
		Address	Yuhang District, Hangzhou, Zhejiang,
	CDMF1-26	Contact	86-571-88637351
		Date	2022/06/19
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

Product Picture		Note			
	Product Picture		Note		
			Based on the structure of CDMF light vertical multistage centrifugal pump, this product adds a cooling device, which is suitable for liquids with a maximum temperature of 180. The liquid can be cooled to 120 or lower before reaching the shaft seal through the cooling device, which effectively ensures the safe working temperature of the mechanical seal and avoids the damage caused by high temperature to the motor. The product has ultra-high performance of CDMF, MEI≥0.7.IE3 ultra- efficient motor makes whole machine more efficient, energy-saving and environmental friendly.		
technology					
Pump rotator speed		2900			
Nameplate standards		CE			
Pump version		1			
Material					
Impeller		304			
Rubber code		D			
Inlet&outlet chamber		304			
Material Code		S			
Installation					
Connection Code		F			
Maximum Pressure/Ter		25 bar / 180 25 bar / -15			
Maximum Pressure/Tei Flange Standard	mperatu	DIN			
Pressure Class		PN25			
Inlet & outlet		DN25			
Medium		45 400			
Medium Temperature I	-	-15+180			
Maximum Environment	t Temper	40			
Motor					
Number of Motor Phas	e	Three Phase			
Protection Class		IP55			
Insulation Class		F			
Motor Power		1.5KW			
Power Frequency		50HZ			
Rated Voltage (V)		220/380V			
Rated Current (A)		5.6/3.2A			
Energy Efficiency Level		IE3			
Seal					
Mechanical Seal		CDLA-12/WBF14			
Others					
		47			


	Performance Curve	Manufacturer	CNP
		Address	Yuhang District, Hangzhou, Zhejiang,
CDMF1-26	Contact	86-571-88637351	
		Date	2022/06/19
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	




CNP	Pump Technical Parameters Manufacturer CNP	CNP	
	Fump recimical Farameters	Address	Yuhang District, Hangzhou, Zhejiang,
	CDMF1-26	Contact	86-571-88637351
	CDIVIF1-20	Date	2022/06/19
Project Name		Client Name	DPA
Project Name		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

Rated parameters			
Pump model	CDMF1-26		
Part NO.	1100140781		
Rated flow (m ³ /h)	1		
Rated head (m)	145		
Rated efficiency (%)	42		
Power (kW)	0.941		
NPSHr (m)	1.3		
Speed (rpm)	2900		
Max impeller diameter (mm)	74.5		

Medium			
Pumped medium	Clean Water		
Working temperature (°C)	20		
Medium density (kg/m³)	1000		
Viscosity (mm²/s)	1		



BCNP	Structure picture	Manufacturer	CNP
	Structure picture	Address	Yuhang District, Hangzhou, Zhejiang,
	CDMF1-26	Contact	86-571-88637351
		Date	2022/06/19
Project Name		Client Name	DPA
Project Name		Client Addr.	
ltem NO		Contacts	Alireza
		Contact	



CNP	Dimension Drawing	Manufacturer	CNP
	Dimension Drawing	Address	Yuhang District, Hangzhou, Zhejiang,
	CDMF1-26	Contact	86-571-88637351
	CDIVIF1-20	Date	2022/06/19
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

