
Product Information	Manufacturer	CNP
	Address	Yuhang District, Hangzhou, Zhejiang,
	Contact	86-571-88637351
CDIVILI-33	Date 2022/06/19	2022/06/19
	Client Name	DPA
	Client Addr.	
	Contacts	Alireza
	Contact	
	Product Information CDMF1-39	Product information Address   CDMF1-39 Contact   Date Client Name   Client Addr. Contacts

Part NO.	1100140833				
Product Picture		Note	Note		
			Based on the structure of CDMF light vertical multistage centrifugal pump, this product adds a cooling device, which is suitable for liquids with a maximum temperature of 180. The liquid can be cooled to 120 or lower before reaching the shaft seal through the cooling device, which effectively ensures the safe working temperature of the mechanical seal and avoids the damage caused by high temperature to the motor. The product has ultra-high performance of CDMF, MEI≥0.7.IE3 ultra- efficient motor makes whole machine more efficient, energy-saving and environmental friendly.		
technology					
Pump rotator speed		2900			
Nameplate standards		CE			
Pump version		1			
Material					
Impeller		304			
Rubber code		D			
Inlet&outlet chamber		304			
Material Code		S			
Installation Connection Code Maximum Pressure/Te	mperatu	F 25 bar / 180			
Maximum Pressure/Te	mperatu	25 bar / -15			
Flange Standard		DIN			
Pressure Class		PN25			
Inlet & outlet		DN25			
Medium					
Medium Temperature	high t	-15+180			
Maximum Environmer	t Temper	40			
Motor					
Number of Motor Pha	se	Three Phase			
Protection Class		IP55			
Insulation Class		F			
Motor Power		2.2KW			
Power Frequency		50HZ			
Rated Voltage (V)		220/380V			
Rated Current (A)		7.9/4.6A			
Energy Efficiency Leve		IE3			
Seal					
Mechanical Seal		CDLA-12/WBF14			
Others					
Weight (kg)		55			


	Performance Curve	Manufacturer	CNP
		Address	Yuhang District, Hangzhou, Zhejiang,
CDMF1-39		Contact	86-571-88637351
	CDIVIF1-39	Date	2022/06/19
Project Name		Client Name	DPA
Project Name	Client Addr.		
Item NO		Contacts	Alireza
		Contact	




CNP	Pump Technical Parameters	Manufacturer	CNP
	Fump reclinical Farameters	Address	Yuhang District, Hangzhou, Zhejiang,
	CDMF1-39	Contact	86-571-88637351
	CDIVIF1-39	Date	2022/06/19
Project Name		Client Name	DPA
Project Name		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

Rated parameters			
Pump model	CDMF1-39		
Part NO.	1100140833		
Rated flow (m <sup>3</sup> /h)	1		
Rated head (m)	220		
Rated efficiency (%)	42		
Power (kW)	1.427		
NPSHr (m)	1.3		
Speed (rpm)	2900		
Max impeller diameter (mm)	74.5		

Medium	
Pumped medium	Clean Water
Working temperature (°C)	20
Medium density (kg/m³)	1000
Viscosity (mm²/s)	1



BCNP	Structure picture	Manufacturer	CNP
	Structure picture	Address	Yuhang District, Hangzhou, Zhejiang
	CDMF1-39	Contact	86-571-88637351
		Date	2022/06/19
Project Name		Client Name	DPA
FIOJECLINALIE	Client Addr.		
Item NO		Contacts	Alireza
		Contact	



CONP	Dimension Drawing	Manufacturer	CNP
	Dimension Drawing	Address	Yuhang District, Hangzhou, Zhejiang,
	CDMF1-39	Contact	86-571-88637351
	CDIVIF1-59	Date 2022/06/19	2022/06/19
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

