
Product Information	Manufacturer	CNP		
FIGUUCI IIIOIIIation	Address	Yuhang District, Hangzhou, Zhejiang		
	Contact	86-571-88637351		
	Date 2022/06/19	2022/06/19		
	Client Name	DPA		
	Client Addr.			
	Contacts	Alireza		
	Contact			
	Product Information CDMF1-40	Product Information CDMF1-40 Client Name Client Addr. Contacts		

	1100140837				
Product Picture		N	Note		
			Based on the structure of CDMF light vertical multistage centrifugal pump, this product adds a cooling device, which is suitable for liquids with a maximum temperature of 180. The liquid can be cooled to 120 or lower before reaching the shaft seal through the cooling device, which effectively ensures the safe working temperature of the mechanical seal and avoids the damage caused by high temperature to the motor. The product has ultra-high performance of CDMF, MEI≥0.7.IE3 ultra- efficient motor makes whole machine more efficient, energy-saving and environmental friendly.		
technology					
Pump rotator speed		2900			
Nameplate standards		CE			
Pump version		1			
Material					
Impeller		304			
Rubber code		D			
Inlet&outlet chamber		304			
Material Code		S			
Installation Connection Code Maximum Pressure/Te		F 25 bar / 180			
Maximum Pressure/Te	emperatu	25 bar / -15			
Flange Standard Pressure Class		DIN PN25			
Inlet & outlet		DN25			
Medium					
	hiah t	-15+180			
Medium Temperature Maximum Environmer	-	-15+180 40			
Mator					
Motor Number of Motor Phas	se	Three Phase			
Protection Class		IP55			
Insulation Class		F			
Motor Power		2.2KW			
Power Frequency		50HZ			
Rated Voltage (V)		220/380V			
Rated Current (A)		7.9/4.6A			
Energy Efficiency Level	l	IE3			
Seal					
Mechanical Seal		CDLA-12/WBF1	.4		
Others					


	Performance Curve	Manufacturer	CNP
		Address	Yuhang District, Hangzhou, Zhejiang,
CNP	CDMF1-40	Contact	86-571-88637351
		Date	2022/06/19
Project Name		Client Name	DPA
Project Name		Client Addr.	
Item NO		Contacts	Alireza
		Contact	




BCNP	Pump Technical Parameters	Manufacturer	CNP
	Fullip reclinical Farameters	Address	Yuhang District, Hangzhou, Zhejiang
	CDMF1-40	Contact	86-571-88637351
		Date	2022/06/19
Project Name		Client Name	DPA
FIOJECT Name		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

Rated parameters			
Pump model	CDMF1-40		
Part NO.	1100140837		
Rated flow (m ³ /h)	1		
Rated head (m)	226		
Rated efficiency (%)	42		
Power (kW)	1.466		
NPSHr (m)	1.3		
Speed (rpm)	2900		
Max impeller diameter (mm)	74.5		

Pumped medium	Clean Water
Working temperature (°C)	20
Medium density (kg/m³)	1000
Viscosity (mm²/s)	1



BCNP	Structure picture	Manufacturer	CNP
	Structure picture	Address	Yuhang District, Hangzhou, Zhejiang,
	CDMF1-40	Contact	86-571-88637351
	CDIVIF1-40	Date 2022/06/19	2022/06/19
Project Name		Client Name	DPA
Project Name		Client Addr.	
Item NO		Contacts	Alireza
		Contact	



	Dimension Drawing	Manufacturer	CNP
CNP	Dimension Drawing	Address	Yuhang District, Hangzhou, Zhejiang,
	CDMF1-40	Contact	86-571-88637351
	CDIVIF1-40	Date	2022/06/19
Project Name		Client Name	DPA
FIOJECT Name		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

