	Product Information	Manufacturer	CNP
	Product information	Address	Yuhang District, Hangzhou, Zhejiang,
COND	CDMF3-20	Contact	86-571-88637351
	CDIVIF3-20	Date	2022/06/19
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

Part NO.	1100140913	
Product Picture		Note
		Based on the structure of CDMF light vertical multistage centrifugal pump, this product adds a cooling device, which is suitable for liquids with a maximum temperature of 180.  The liquid can be cooled to 120 or lower before reaching the shaft seal through the cooling device, which effectively ensures the safe working temperature of the mechanical seal and avoids the damage caused by high temperature to the motor.  The product has ultra-high performance of CDMF, MEI≥0.7.IE3 ultra-efficient motor makes whole machine more efficient, energy-saving and environmental friendly.

# technology

Pump rotator speed 2900
Nameplate standards CE
Pump version 1

#### Material

Impeller304Rubber codeDInlet&outlet chamber304Material CodeS

#### Installation

Connection Code F

Maximum Pressure/Temperatu 25 bar / 180

Maximum Pressure/Temperatu 25 bar / -15

Flange Standard DIN

Pressure Class PN25

Inlet & outlet DN25

## Medium

Medium Temperature high t -15+180

Maximum Environment Temper 40

#### Motor

Number of Motor Phase Three Phase
Protection Class IP55
Insulation Class F
Motor Power 2.2KW
Power Frequency 50HZ
Rated Voltage (V) 220/380V
Rated Current (A) 7.9/4.6A
Energy Efficiency Level IE3


# Seal

Mechanical Seal CDLA-12/WBF14

### Others

Weight (kg) 47


	Performance Curve	Manufacturer	CNP	
	renormance curve	Address	Yuhang District, Hangzhou, Zhejiang,	
COND	CDMF3-20	Contact	86-571-88637351	
	CDIVIF3-20	Date 2022/06/19	2022/06/19	
Project Name		Client Name	DPA	
		Client Addr.		
Item NO		Contacts	Alireza	
		Contact		



	Pump Technical Parameters	Manufacturer	CNP Yuhang District, Hangzhou, Zhejiang, 86-571-88637351 2022/06/19	
	rump recimical ratameters	Address		
COND	CDMF3-20	Contact	86-571-88637351	
	CDIVIF3-20	Date 2022/06/19	2022/06/19	
Project Name		Client Name	DPA	
		Client Addr.		
Item NO		Contacts	Alireza	
		Contact		


Rated parameters	
Pump model	CDMF3-20
Part NO.	1100140913
Rated flow (m³/h)	3
Rated head (m)	120
Rated efficiency (%)	58
Power (kW)	1.691
NPSHr (m)	1.4
Speed (rpm)	2900
Max impeller diameter (mm)	82

Medium	
Pumped medium	Clean Water
Working temperature (°C)	20
Medium density (kg/m³)	1000
Viscosity (mm²/s)	1





	Structure picture	Manufacturer	CNP
	Structure picture	Address	Yuhang District, Hangzhou, Zhejiang,
COND	CDMF3-20	Contact	86-571-88637351
	CDIVIF3-20	Date	2022/06/19
Project Name		Client Name	DPA
Project Name		Client Addr.	
Item NO		Contacts	Alireza
		Contact	



	Dimension Drawing	Manufacturer	CNP
	Difficusion Drawing	Address	Yuhang District, Hangzhou, Zhejiang,
COND	CDMF3-20	Contact	86-571-88637351
	CDIVIF3-20	Date 2022/06/19	2022/06/19
Project Name		Client Name	DPA
Project Name		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

