
Product Information	Manufacturer	CNP		
	Address	Yuhang District, Hangzhou, Zhejiang		
CDMF5-14	Contact	86-571-88637351		
	Date	2022/06/19		
	Client Name	DPA		
	Client Addr.			
	Contacts	Alireza		
	Contact			
		CDMF5-14 Contact Date Client Name Client Addr. Contacts		

Part NO.	1100141009		
Product Picture		No	te
			Based on the structure of CDMF light vertical multistage centrifugal pump, this product adds a cooling device, which is suitable for liquids with a maximum temperature of 180. The liquid can be cooled to 120 or lower before reaching the shaft seal through the cooling device, which effectively ensures the safe working temperature of the mechanical seal and avoids the damage caused by high temperature to the motor. The product has ultra-high performance of CDMF, MEI≥0.7.IE3 ultra- efficient motor makes whole machine more efficient, energy-saving and environmental friendly.
technology			
Pump rotator speed		2900	
Nameplate standards		CE	
Pump version		1	
Material			
Impeller		304	
Rubber code		D	
Inlet&outlet chamber		304	
Material Code		S	
Installation			
Connection Code		F	
Maximum Pressure/Te	mperatu	25 bar / 180	
Maximum Pressure/Te	mperatu	25 bar / -15	
Flange Standard		DIN	
Pressure Class		PN25	
Inlet & outlet		DN32	
Medium			
Medium Temperature	high t	-15+180	
Maximum Environmer	t Temper	40	
Motor			
Number of Motor Pha	se	Three Phase	
Protection Class		IP55	
Insulation Class		F	
Motor Power		2.2KW	
Power Frequency		50HZ	
Rated Voltage (V)		220/380V	
Rated Current (A)		7.9/4.6A	
Energy Efficiency Leve		IE3	
Seal			
Mechanical Seal		CDLA-12/WBF14	4
Others			
Weight (kg)		45	


Performance Cur CDMF5-14	Porformanco Curvo	Manufacturer	CNP
	Performance Curve	Address	Yuhang District, Hangzhou, Zhejiang,
	CDMF5-14	Contact	86-571-88637351
		Date	2022/06/19
Project Name		Client Name	DPA
Project Name		Client Addr.	
Item NO		Contacts	Alireza
		Contact	




CNP	Pump Technical Parameters	Manufacturer	CNP	
	Fump recimical Farameters	Address	Yuhang District, Hangzhou, Zhejiang	
	CDMF5-14	Contact	86-571-88637351	
	CDIVIEJ-14	Date	2022/06/19	
Project Name		Client Name	DPA	
		Client Addr.		
Item NO		Contacts	Alireza	
		Contact		

Rated parameters			
Pump model	CDMF5-14		
Part NO.	1100141009		
Rated flow (m ³ /h)	5		
Rated head (m)	87		
Rated efficiency (%)	70		
Power (kW)	1.693		
NPSHr (m)	1.6		
Speed (rpm)	2900		
Max impeller diameter (mm)	82		
	· · · · · · · · · · · · · · · · · · ·		


Medium	
Pumped medium	Clean Water
Working temperature (°C)	20
Medium density (kg/m³)	1000
Viscosity (mm²/s)	1



BCNP	Structure picture	Manufacturer	CNP
	Structure picture	Address	Yuhang District, Hangzhou, Zhejiang,
	CDMF5-14	Contact	86-571-88637351
	CDIVIED-14	Date 2022/06/1	2022/06/19
Project Name		Client Name	DPA
Project Name		Client Addr.	
Item NO		Contacts	Alireza
		Contact	



	Dimension Drawing	Manufacturer	CNP
CONTR	Diffension Drawing	Address	Yuhang District, Hangzhou, Zhejiang,
	CDMF5-14	Contact	86-571-88637351
		Date	2022/06/19
Project Name		Client Name	DPA
Project Name		Client Addr.	
Item NO		Contacts	Alireza
		Contact	



-5-