	Product Information	Manufacturer	CNP
	Product information	Address	Yuhang District, Hangzhou, Zhejiang,
COND	CDMF5-26	Contact	86-571-88637351
	CDIVIF3-20	Date 2022/06/19	2022/06/19
Project Name	Client Name	DPA	
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

Part NO.	1100141057	
Product Picture		Note
		Based on the structure of CDMF light vertical multistage centrifugal pump, this product adds a cooling device, which is suitable for liquids with a maximum temperature of 180. The liquid can be cooled to 120 or lower before reaching the shaft seal through the cooling device, which effectively ensures the safe working temperature of the mechanical seal and avoids the damage caused by high temperature to the motor. The product has ultra-high performance of CDMF, MEI≥0.7.IE3 ultra-efficient motor makes whole machine more efficient, energy-saving and environmental friendly.
technology		

2900 Pump rotator speed Nameplate standards CE Pump version 1

Material

Impeller 304 Rubber code D Inlet&outlet chamber 304 Material Code S

Installation

Connection Code

Maximum Pressure/Temperatu 25 bar / 180 Maximum Pressure/Temperatu 25 bar / -15 Flange Standard DIN **Pressure Class** PN25 Inlet & outlet DN32

Medium

Medium Temperature high t -15+180 Maximum Environment Temper 40

Motor

Number of Motor Phase Three Phase **Protection Class** IP55 Insulation Class Motor Power 4KW 50HZ Power Frequency Rated Voltage (V) 380V Rated Current (A) 7.8A Energy Efficiency Level IE3


Seal

Mechanical Seal CDLA-12/WBF14

Others

Weight (kg) 68


Performance	Performance Curve	Manufacturer	CNP
	renormance curve	Address	Yuhang District, Hangzhou, Zhejiang, 86-571-88637351
COND	CDMF5-26	Contact	86-571-88637351
	CDIVIF3-20	Date 2022/06/19	2022/06/19
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	



	Pump Technical Parameters	Manufacturer	CNP Yuhang District, Hangzhou, Zhejiang, 86-571-88637351	
	rump recimical ratameters	Address		
COND	CDMF5-26	Contact	86-571-88637351	
	CDIVIF3-20	Date 2022/06/19	2022/06/19	
Project Name		Client Name	DPA	
		Client Addr.		
Item NO		Contacts	Alireza	
		Contact		


Rated parameters			
Pump model	CDMF5-26		
Part NO.	1100141057		
Rated flow (m³/h)	5		
Rated head (m)	161		
Rated efficiency (%)	70		
Power (kW)	3.13		
NPSHr (m)	1.6		
Speed (rpm)	2900		
Max impeller diameter (mm)	82		

Medium	
Pumped medium	Clean Water
Working temperature (°C)	20
Medium density (kg/m³)	1000
Viscosity (mm²/s)	1





	Structure picture	Manufacturer	CNP
	Structure picture	Address	Yuhang District, Hangzhou, Zhejiang,
COND	CDMF5-26	Contact	86-571-88637351
	CDIVIF3-20	Date 2022/06/19	2022/06/19
Project Name		Client Name	DPA
Project Name		Client Addr.	
Item NO		Contacts	Alireza
		Contact	



	Dimension Drawing	Manufacturer	CNP
	Difficusion Drawing	Address	Yuhang District, Hangzhou, Zhejiang,
COND	CDMF5-26	Contact	86-571-88637351
	CDIVIF3-20	Date 2022/06/19	2022/06/19
Project Name		Client Name	DPA
Project Name		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

