	Product Information	Manufacturer	CNP
	Product information	Address	Yuhang District, Hangzhou, Zhejiang,
COND	CDMF5-31	Contact	86-571-88637351
	CDIVIED-21	Date	2022/06/19
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

Part NO.	1100141078	
Product Picture	<u>'</u>	Note
		Based on the structure of CDMF light vertical multistage centrifugal pump, this product adds a cooling device, which is suitable for liquids with a maximum temperature of 180.  The liquid can be cooled to 120 or lower before reaching the shaft seal through the cooling device, which effectively ensures the safe working temperature of the mechanical seal and avoids the damage caused by high temperature to the motor.  The product has ultra-high performance of CDMF, MEI≥0.7.IE3 ultra-efficient motor makes whole machine more efficient, energy-saving and environmental friendly.

# technology

Pump rotator speed 2900
Nameplate standards CE
Pump version 1

#### Material

Impeller304Rubber codeDInlet&outlet chamber304Material CodeS

#### Installation

Connection Code K

Maximum Pressure/Temperatu 25 bar / 180

Maximum Pressure/Temperatu 25 bar / -15

Flange Standard DIN

Pressure Class PN25

Inlet & outlet DN32

## Medium

Medium Temperature high t -15+180

Maximum Environment Temper 40

#### Motor

Number of Motor Phase
Protection Class
IP55
Insulation Class
Motor Power
5.5KW
Power Frequency
Rated Voltage (V)
Rated Current (A)
Energy Efficiency Level
Three Phase
Three Phase
Three Phase
1P55
F
3.5KW
19.0HZ
10.6A
Inc.6A


# Seal

Mechanical Seal CDLA-12/WBF14

## Others

Weight (kg) 90


	Performance Curve	Manufacturer CNP	CNP
	renormance curve	Address	
COND	CDMF5-31	Contact	86-571-88637351
CIAL	CDIVIL2-21	Date	2022/06/19
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	



	Pump Technical Parameters	Manufacturer	CNP
	rump recimical ratameters	Address	Yuhang District, Hangzhou, Zhejiang,
COND	CDMF5-31	Contact	86-571-88637351
	CDIVIED-21	Date	2022/06/19
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	


Rated parameters			
Pump model	CDMF5-31		
Part NO.	1100141078		
Rated flow (m³/h)	5		
Rated head (m)	193		
Rated efficiency (%)	70		
Power (kW)	3.76		
NPSHr (m)	1.6		
Speed (rpm)	2900		
Max impeller diameter (mm)	82		

Medium	
Pumped medium	Clean Water
Working temperature (°C)	20
Medium density (kg/m³)	1000
Viscosity (mm²/s)	1





	Structure picture	Manufacturer	CNP
	Structure picture	Address	Yuhang District, Hangzhou, Zhejiang,
COND	CDMF5-31	Contact	86-571-88637351
CINI	CDIVIED-21	Date	2022/06/19
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	



	Dimension Drawing	Manufacturer	CNP
	Difficusion Drawing	Address	Yuhang District, Hangzhou, Zhejiang,
COND	CDMF5-31	Contact	86-571-88637351
CINI	CDIVIED-21	Date	2022/06/19
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

