
CNP	Product information	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
	TD50-60/2	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	

Product No. 1	100042185	
Product picture(Note:the r	picture may not be the same as the	Series description
		Product introduction
		Single stage in-line centrifugal pumps, inlet and outlet are horizontal with top side pulled out structure and can be repaired without removing the pipelines. Performance and advantages Compact structure Maintenance convenience Low noise Both cast iron and stainless steel impeller are available Application range
technology	2000	
Pump rotator speed	2900	
Pump version	Extension shaft	
Material		
Impeller	HT200	
Pump body	HT200	
Rubber code	NBR	
Installation		
Connection Code	F	
Maximum Operation Pres	ssure PN12	
Medium Medium Temperature Structure dimension Inlet & outlet size types	-15~110 DN	
Inlet & Outlet Bore	50	
Rotation Direction	Clockwise rotation view	wed from motor end
Motor		
Number of Motor Phase	Three Phase	
Protection Class	IP55	
Insulation Class	F	
Motor Power	15	
Power Frequency	50Hz	
Rated Voltage (V)	380V	
Energy Efficiency Level	IE3	
Seal		
Mechanical Seal	TD-28/B2SE4	
Others		
Weight (kg)	191	
· ····································		

CONP	Performance Curve	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
	TD50-60/2	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	



CONP	Pump technical parameters	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
	TD50-60/2	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	

Rated parameters		66
Pump model	TD50-60/2	44
Product No.	1100042185	
Rated flow(m <sup>3</sup> /h)	50	ž
Rated pressure(m)	60	n
Rated efficiency(%)	63	
Power(kW)	13	
NPSHr(m)	4	
Speed(rpm)	2900	
Max impeller diameter(mm)	220	20
Medium		16 III III IIII IIII IIII IIII IIII III
Medium Name	Clear Water	E Construction of the second s
Working temperature(°C)	20	4

1000

1


Medium density(kg/m<sup>3</sup>)

Viscosity(mm<sup>2</sup>/s)

(fliciency(%)

(m)HSHr(m)

Structure picture TD50-60/2	Structuro picturo	Manufacturer	CNP
	Structure picture	Address	Yuhang District, Hangzhou,
	Contact	86-571-88637351	
	1050-00/2	Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	



CONP	Size picture	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
	TD50-60/2	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	

