

	Product Information CHM1-60	Manufacturer	CNP
		Address	Yuhang District, Hangzhou, Zhejiang,
		Contact	86-571-88637351
		Date	2022/03/07
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

Part NO.	1100178544
----------	------------

Product Picture	Note
	Non-self-priming horizontal multistage centrifugal pump. The impeller guide vane is made of stainless steel plate stamping and welding. Equipped with long shaft motor, axial inlet and radial outlet.

technology

Pump rotator speed 2900

Material

Impeller 304

Rubber code F

Material Code S

Installation

Connection Code L

Installation type horizontal

Maximum Operation Pressure 10Bar

Medium

Medium Temperature normal -15+70

Medium Temperature high t -15+105

Maximum Environment Temper 40

Structure dimension

Inlet & outlet size types G

Inlet & Outlet Diameter G1

Rotation Direction Clockwise

Motor

Number of Motor Phase Three Phase

Protection Class IP55

Insulation Class F

Motor Power 0.37

Energy Efficiency Level IE2

Seal


Mechanical Seal CHM-14/SB1F4

Others


Weight (kg) 10

	Performance Curve CHM1-60	Manufacturer	CNP
		Address	Yuhang District, Hangzhou, Zhejiang,
		Contact	86-571-88637351
		Date	2022/03/07
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

The hydraulic performance curve have been tested with Clean Water at 20°C, density 1000kg/m³, and at 1bar atmospheric pressure. ISO99062012 Grade 3B




	Pump Technical Parameters CHM1-60	Manufacturer	CNP
		Address	Yuhang District, Hangzhou, Zhejiang,
		Contact	86-571-88637351
		Date	2022/03/07
Project Name		Client Name	DPA
Item NO		Client Addr.	
		Contacts	Alireza
		Contact	



	Structure picture CHM1-60	Manufacturer	CNP
		Address	Yuhang District, Hangzhou, Zhejiang,
		Contact	86-571-88637351
		Date	2022/03/07
		Client Name	DPA
Project Name		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

CHM1, 3-200801



- 1、拉杆
2、压板
3、堵头
4、O形圈15×2.5
5、进出水段
6、导流壳体
(仅用于CHM1-20/CHM3-20)
7、导流器
7a、口环盖
7b、口环
8、螺母M8
9、叶轮垫片
11、叶轮
12、导叶 (CHM1-20/CHM3-20不存在)
13、叶轮隔套9.6×12.6
14、出水导叶
15、调节垫片 (CHM1用4个/CHM3用1个)
16、机械密封
17、O形圈115×4
18、密封座
19、电机
20、底座
21、螺钉M5×12
22、支撑导叶
(仅用于CHM1-60至1-90/CHM3-40至3-90)
23、耐磨轴套
(仅用于CHM1-60至1-90/CHM3-40至3-90)
24、支撑隔套6.3×12.6
(仅用于CHM1-60至1-90/CHM3-40至3-90)
25、支撑垫片
(仅用于CHM1-60至1-90/CHM3-40至3-90)

新一代CHM1, 3-200801

制图
审核
旧版图号
底图总号
签字
日期

爆炸图				CNP南方泵业			
标记处数	更改文件名	签字	日期	图样标记	重量	比例	
设计	标准	标准	标准	S		1:1	
校对	审核	审核	审核				
工艺	工艺	工艺	工艺				
共 1 页				第 1 页			
CHM1, 3-200801				CHM1, 3-200801			

	Dimension Drawing CHM1-60	Manufacturer	CNP
		Address	Yuhang District, Hangzhou, Zhejiang,
		Contact	86-571-88637351
		Date	2022/03/07
Project Name		Client Name	DPA
Item NO		Client Addr.	
		Contacts	Alireza
		Contact	

