<b>A</b>	Product Information	Manufacturer	CNP
		Address	Yuhang District, Hangzhou, Zhejiang,
CNP	CDLK42-80/8-2	Contact	86-571-88637351
m Oldi	CDLN42-00/0-2	Date	2022/07/19
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

Part NO.	1100057313	
Product Picture		Note
		Product introduction  CDLK/CDLKF is non-self priming multi-stage centrifugal pump installed with standard motor. The motor shaft is directly connected with the pump shaft through coupling. The impellers and diffusers are made of stainless steel plate stamping and welding. In order to meet the requirement of installation depth of the water tank or vessel, it is possible to install cavity diffusers for changing length of the pump.  Performance and advantages  Compact structure  Convenient maintenance  Changeable installation depth

# Nameplate parameters

flow 42 m³/h
head 154 m
Efficiency 71
speed 2900
number of stages 8

# technology

Pump rotator speed 2900 Nameplate standards CE

# Material

Impeller304Rubber codePMaterial CodeS

### Medium

Medium Temperature normal -15°C+70°C

Medium Temperature high t -15°C+105°C

Maximum Environment Temper 40°C

#### Motor

Number of Motor Phase

Protection Class IP55
Insulation Class F
Motor Power 30KWKW
Power Frequency 50HZ
Rated Voltage (V) 380V
Rated Current (A) 55.7A
Energy Efficiency Level IE3

Three Phase


# Seal

Mechanical Seal CDLA-22/WSF14

## Others

Weight (kg) 291


Performance	Performance Curve	Manufacturer	CNP
	r chomiance carve	Address	Yuhang District, Hangzhou, Zhejiang,
CONP	CDLK42-80/8-2	Contact	86-571-88637351
DOI W	CDLN42-00/0-2	Date	2022/07/19
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	



	Pump Technical Parameters	Manufacturer	CNP
		Address	Yuhang District, Hangzhou, Zhejiang,
CONP	CDLK42-80/8-2	Contact	86-571-88637351
DOI W	CDLN42-00/0-2	Date	2022/07/19
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

Rated parameters	
Pump model	CDLK42-80/8-2
Part NO.	1100057313
Rated flow	42 m³/h
Rated head	154 m
Rated efficiency (%)	71
Power (kW)	24.8
NPSHr (m)	3
Speed (rpm)	2900
Max impeller diameter (mm)	136

Medium	
Pumped medium	Clean Water
Working temperature (°C)	20
Medium density (kg/m³)	1000
Viscosity (mm²/s)	1





	Physical picture	Manufacturer	CNP
COP		Address	Yuhang District, Hangzhou, Zhejiang,
	CDLK42-80/8-2	Contact	86-571-88637351
	CDLN42-00/0-2	Date	2022/07/19
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

